


# nashuatec

TOTAL DOCUMENT SOLUTIONS



## F550



ROUND THE CLOCK SOLUTIONS  
TO YOUR HIGH VOLUME FAXING

With double-sided printing,  
scan-to-email and colour scan  
capability, there's more to the  
F550 than meets the eye

If your business relies on managing daily high volumes of faxes, look no further than the Nashuatec F550. It brings you powerful faxing and a host of superb features to enhance performance and productivity.

As a network standard fax, the F550 is a powerhouse of innovative functionality that is reliable and easy to use. It goes far beyond the expectations of an average fax device, delivering productive features such as Scan-to-Email, colour scanning, network print and double-sided output.

Together, this means that the F550 provides a total solution to your team's daily document needs from one reliable and cost effective source.



*Nashuatec's unique approach, links people with knowledge and expertise, combining our wide experience of innovative document related Products and Software Solutions with our world class Business and Professional Services to deliver the best Total Document Solutions for your business.*





## Fax

**Type**  
Desktop type transceiver

**Circuit**  
PSTN, PABX

**Compatibility**  
ITU-T group 3 machines

**Modem speed**  
Maximum 33.6kbps

**Transmission speed**  
2 seconds<sup>1</sup>

**Compression method**  
MH, MR, MMR, JBIG

**Quick dial**  
90 numbers

**Speed dial**  
200 numbers

**Paper input capacity**  
Standard: 350 sheets  
Maximum: 1,350 sheets

**ADF capacity**  
70 sheets

**Memory capacity**  
Standard: 7MB (560 pages)<sup>1</sup>  
Maximum: 40MB (2,200 pages)<sup>1</sup>

**Memory backup**  
12 hours

**Document size**  
A4

**Scan speed**  
1.3 seconds

**Scan resolution**  
Minimum: 200 x 100dpi  
Maximum: 600 x 600dpi  
(with 40MB memory)

**Dimensions (W x D x H)**  
448 x 551 x 411mm

**Weight**  
23kg

**Power source**  
220 - 240V, 50/60Hz

**Power consumption (standby mode)**  
Less than 6W



## Printer (Option)

**Processor**  
Destiny ASIC D8401A 75MHz  
(PowerPC 401 microprocessor embedded)

**Memory**  
Standard: 16MB  
Maximum: 144MB

**Print speed**  
15 prints per minute

**Printer language/resolution**  
PCL6: 600dpi  
PCL5e/PostScript™ Level 2 Compatible (option): 300/600dpi

**Drivers**  
Windows® 95/98/Me/XP/NT4.0/2000  
Mac OS 8.x/9.x/10.x Classic Mode

**Fonts**  
PCL5e/PCL6: 35 Intellifonts  
10 TrueType Fonts  
PostScript™ Level 2 Compatible (option):  
80 PS™ fonts

**Interface**  
Standard: Parallel Port IEEE1284 (ECP)  
Option: Network Port Ethernet  
10 base-T/100 base-TX

**Utility software**  
SmartDeviceMonitor™

## Consumables

- Toner hopper magazine (yield: 5,000 sheets)<sup>1</sup>
- Photo conductor unit (yield: 45,000 sheets)

## Other Options

- 2 x 500-sheet paper tray
- ADF maintenance kit
- G3 unit (for second fax number)
- 40 MB memory card
- 32, 64 or 128MB printer memory
- PostScript™ Level 2 Compatible
- Colour unit

<sup>1</sup> Based on ITU-T #1 chart.

Company management systems applied during the manufacturing of all Nashuatec products conform to ISO9001 quality and ISO14001 environmental management standards.

As an ENERGY STAR Program Participant, Nashuatec has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

We reserve the right to make amendments to the technical specifications and external appearance of this equipment. Please note that the full range of options shown in this publication may not always be available. All brand and product names are recognized and hereby acknowledged, as registered trademarks of their respective owners.



NF5500004GB0

**nashuatec**

Part of the NRG group

[www.nashuatec.com](http://www.nashuatec.com)

